




# Catalog for high tensile steel seal machine

## Specification & Data

Machine Name	HIGH TENSILE STEEL STRAPING SEAL MACHINE	CE CERTIFICATION NO.:	M.2019.206.C2559	
Model No.	SSSM-H-192532	CE REPORT NO.:	TCF no. MICEZ-1903-0265-MD+LVD	
	CE COVER PAGE			
Technical data	Push type Strapping seal size			
	Seal	W	L	T

	19 mm	19 mm	45-80 mm	0.7-1.0	
Material: steel coil galvanized	25	25 mm	45-80 mm	0.7-1.0	
	32 mm	32 mm	45-80 mm	0.7-1.0	
	Feeding L	260-400 mm			
Production	60- PC/MINUTE				

	rate			
	Motor power	1.1 kw		
	Voltage plans	V	Phase	HZ
	A plan	380	3	60
	B plan	220	3	60
Technical data	C plan	220	Single phase	
Accessories	Cutter of Spring Steel: 3 pieces			
	Core-plates parts 2 pieces. for each size of 19 25 and 32 mm			
Steel coil uncoiler				
	<p>it is optional selection for over 800 kg of steel coil load which price is</p> <p>285 usd/set</p>			

Numbers counter	 <p>it is automatic controlling the numbers of production, free complimentary</p>
Net Weight	720 KG
Gross Weight	800 KG
Steel material used	High tensile steel 1000-1100 Map and cold-rolled steel ( not more than 1 mm thickness)
Packing Size	1600x950x 1750 mm
Packing method	Plywood box with reinforced steel structure
Lead time	3-4 weeks after advance payment 30% One-year guarantee period, except quick-wear parts and natural damage or caused by human errors.
Payment term	30% advance payment by T/T before production 70% balance against confirmation of samples and videos from the completed machine testing. before shipping.

## Chang International

Web: [strap-seal-machine.com](http://strap-seal-machine.com)

Email: [zjaska@163.com](mailto:zjaska@163.com)